## PASSAIC VALLEY SEWERAGE COMMISSIONERS LIQUID WASTE ACCEPTANCE PROGRAM APPLICATION FOR INDUSTRIAL LIQUID WASTE

THIS A	PPLICATION TO BE COMPLETED BY WASTE GENERATOR
1.	Waste Generator Name: Waste Manage ment Disposal Services of PA, INE.
2.	Waste Generator Address: 1513 Bopden town Road
	Markscussle, PA Zin Code: 19067
3.	Waste Generator Telephone Number: 2/5-428-4377 Fax No.: 215-428-4343
4.	Waste Generator US EPA ID No. (if any): PAD 000 428589
5.	Person to contact concerning information provided in this application:
	Name of Contact: Dow Demkovitz
	Title: <u>ENVIRONMENTA/ MANAGER</u>
	Phone No. 215-428-4377 Fax No.: 215-428-4343
	Address: 1000 New Ford MILLROAD, MORRISVILLE, PA
	Zip Code: 1906 7
BILLIN	IG INFORMATION
6.	Billing Contact Name: Mike LAGe
7.	Billing Contact Address: 1000 New Ford Mill Road, Marrisville, PA
	Zip Code: /9067
8.	Billing Contact Telephone Number: 215-428-4376 Fax No.: 215-428-4343
FACIL	ITY INFORMATION [COMPLETE 9-12 ONLY IF DIFFERENT FROM 1-4 ABOVE]
9.	Facility Name: <u>SAME</u>
10.	Facility Address:
	Zip Code:
11.	Facility Telephone Number: Fax No.:
12.	Facility US EPA ID No. (if any): PAD000429589   INDUSTRIAL 120 - 1103
13.	Facility NPDES or NJPDES No. (if any): PA 00 438/8
	AUG 1 4 2006
	Page 1
	81250 82050 82100
	82100

14.	Brief description of manufacturing or other activity performed at facility: Municipal
	List SIC CODE # with description: 4953 Municipal And Pill
15.	Is the Liquid Waste subject to applicable categorical pretreatment standard(s)? Yes/No
***NOT	E: IF THE WASTE IS SUBJECT TO A CATEGORICAL PRE-TREATMENT STANDARD, CONTACT PVSC FOR A "CATEGORICAL WASTE ADDENDUM" TO THIS APPLICATION.
16.	List the industrial category for the Liquid Waste, if applicable:
17.	List the pre-treatment control authority which you are currently reporting to:
18.	Is facility in compliance? Yes/No If not, and if compliance date has passed, explain actions being taken to get into compliance:
PRETI	REATMENT
19.	Does the Liquid Waste exceed any of the applicable categorical pretreatment standard(s) for this Liquid Waste?  Yes/No
RCRA	
20.	Does the Liquid Waste come from a facility, or any portion of the facility, that is regulated as a Federal and/or State Resource Conservation and Recovery Act (RCRA) facility for treatment, storage, or disposal?  Yes/No _\( \text{NO} \) If YES, explain:
PROC	OUR RESPONSE IS "YES" TO ANY OF THE QUESTIONS NUMBERED 21 THROUGH 26 OR 28, PLEASE DO NOT SEED ANY FURTHER WITH THIS APPLICATION BECAUSE THE LIQUID WASTE CANNOT BE ACCEPTED FOR TIMENT AT THE PASSAIC VALLEY SEWERAGE COMMISSIONERS WWTP.  Is the Liquid Waste a listed RCRA hazardous waste (40 CFR 261, N.J.A.C. 7:26G-1 et seq.) (F, P, K, U listed waste)? Yes/No
22.	Is the Liquid Waste a characteristic RCRA hazardous waste (40 CFR 261, N.J.A.C. 7:26G-1 et seq.) (D waste)? Yes/No _NC
23.	Is the Liquid Waste a mixture of a RCRA hazardous waste (40 CFR 261, N.J.A.C. 7:26G-1 et seq.) with a non-hazardous waste? Yes/No
24.	Is the Liquid Waste derived from a listed RCRA hazardous waste (40 CFR 261, N.J.A.C. 7:26G-1 et seq.)? Yes/No\(\mu\O_\)
25.	Is the Liquid Waste the product of a spill/cleanup of a listed RCRA hazardous waste (40 CFR 261, N.J.A.C. 7:26G-1 et seq.)? Yes/NoO

	Was the Liquid Waste a listed RCRA hazardous (40 CFR Part 261) as generated and rendered RCRA non-hazardous by pretreatment? Yes/No
	Please provide any exclusions which may render the waste RCRA non-hazardous (40 CFR 261, N.J.A.C. 7:26G-1 et seq.)
НТС	ER
28.	Does the Liquid Waste contain substances in concentrations that are regulated by the Toxic Substances Control Act (TSCA) (40 CFR Subchapter R) including PCBs (40 CFR 761)?: Yes/No
DO N TRE DISC	OUR RESPONSE IS "YES" TO ANY OF THE QUESTIONS NUMBERED 21 THROUGH 26 OR 28 ABOVE, PLEASE NOT PROCEED ANY FURTHER WITH THIS APPLICATION. THE LIQUID WASTE CANNOT BE ACCEPTED FOR ATMENT AT THE PASSAIC VALLEY SEWERAGE COMMISSIONERS (PVSC) WWTP. ANY PERSON CHARGING SUCH LIQUID WASTE VIA TRUCK TO PVSC'S WWTP FOR TREATMENT WILL BE SUBJECT TO ISHMENT INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT.
	PERTIES OF THE LIQUID WASTE
29.	Name of Liquid Waste: Now-hAZARdous municipal land fill leachate
	Sludge Graywater
30.	Description of process generating the Liquid Waste: Municipal Innd Fill
	(Attach process flow diagram)
31.	Principal raw materials used in the process generating the Liquid Waste: Municipal WASTE.
32.	Principal products (or service) from which the Liquid Waste is generated: _MUNICIPA_
33.	Has the Liquid Waste been pretreated? Yes/No
	(Attach pretreatment process flow diagram)



stimated quantity of Liquid Waste to be	elivered:			
stimated gallons per week: 10,000 stimated gallons per year: 500,000	verage			
stimated length of disposal services need	d (months, years, one tim			
2 years	·			<del></del>
LEASE NOTE THAT FOR DISPOSA OMPLETED LIQUID WASTE ACC IQUID WASTE" MUST BE SUBMIT	PTANCE PROGRAM			L,
aid Waste Composition (major compone	ts and CAS numbers):			
Component	(	Concentration Ra	nge (wt.% or ppm)	
Component	Lov			
	<del></del>			
		***************************************	· · · · · · · · · · · · · · · · · · ·	
OTAL		<del></del>	100%	
ELiquid Waste currently disposed at oracility or facilities:	or more facilities? If s	so, please provide	e the following inform	nation fo
				nation fo
acility or facilities:  ACILITY 1  acility Name   Po ##5 fown B  acility Address  Po ##5 fown  Expe of Facility  PO TW	prough Sewel			nation fo
acility or facilities:  ACILITY 1  acility Name fo the town b  acility Address fo the town  ype of Facility fo tw  acility Permit Number ff 60408	prough Sewel		onsty	nation fo
acility or facilities:  ACILITY 1  acility Name	prough Sewel	a Auth	onsty	
acility or facilities:  ACILITY 1  acility Name fo the town b  acility Address fo the town  ype of Facility fo tw  acility Permit Number ff 60408	prough Sewer	A Auth	non-na	
acility or facilities:  ACILITY I  acility Name	prough Sewer	A Auth	non-na	
ACILITY I  acility Name	prough Sewer	A Auth	non-na	
ACILITY I  acility Name	prough Sewer	A Auth	non-na	
ACILITY I  acility Name forths town B acility Name forths town B acility Address for the form Type of Facility for Tw acility Permit Number from the form of the f	erough Sewer Photosoft Sewer us or non-hazardous was e imposed by this facility	A Auth	non-na	
ACILITY 1 acility Name	erough Sewer Photosoft Sewer us or non-hazardous was e imposed by this facility	A Auth	non-na	
ACILITY I  acility Name	erough Sewer Photosoft Sewer us or non-hazardous was e imposed by this facility	A Auth	non-na	



38.	Is or has the facility ever been connected to a municipal sewer system? Yes/No _1/10
	If so, explain why this Liquid Waste is not discharged to the sewer
39.	Is there a separate component of the Liquid Waste stream disposed at other facilities, such as a sludge component?  Yes/No
	If so, is the separate component disposed as a RCRA hazardous waste? Yes/No  If so, indicate RCRA hazardous waste code(s)
<b>1</b> 0.	Is the Liquid Waste subject to reporting requirements under New Jersey Sludge Quality Assurance Regulations, also referred to as SQAR (N.J.A.C 7:14-4 et seq.), or the equivalent in the generator's state?: Yes/No
	If so, attach copies of SQAR or equivalent reports for the last six (6) months to this form.
41.	Is the Liquid Waste known to gel or solidify? Yes/No
42.	Is the Liquid Waste known to be incompatible or reactive with other chemicals? Yes/No
	If so, list incompatibility(ies)
ANAI	LYSIS OF LIQUID WASTE
43.	Does Liquid Waste contain separate phase organic material (floating or sinking oils or solvents) or solids?  Yes/No If yes, please list all phases
44.	Analysis for all separate phases of the Liquid Waste must be performed on a representative sample collected:
	Samples collected by: LAURA BAIN BRICIGE Date: 7-24-06
	Samples analyzed by: MTReider ASSOCIAtes Inc.  Date: 8-4-06
	Products being manufactured when sample was collected:
	ALL SEPARATE PHASES MUST BE SAMPLED SEPARATELY. ALL SEPARATE PHASES MUST BE ANALYZED SEPARATELY AND REPORTED BY A STATE CERTIFIED ANALYTICAL LABORATORY (IN ALL ANALYSES PROVIDED). THE ANALYSES SUBMITTED MUST BE FOR THE LIQUID WASTE STREAM THAT IS THE SUBJECT OF THIS APPLICATION.
	List State laboratory certification number PAD 2P #06-003



45. Analysis for all separate phases of the Liquid Waste must be performed on a representative sample collected for the waste stream:

For a GRAYWATER (typically less than 2% Total Solids) analyze for the parameters listed in Table 1A. Analysis for any metals listed in Table 1A should be for <u>Total Metals</u> (NOT TCLP METALS, WHICH ARE REQUIRED IN TABLE 3). Attach a complete laboratory analysis for all results listed in Table 1A including the Chain-of-Custody and signed Lab Certification.

Table 1A - GRAYWATER

Parameter	Value	Limit (mg/L)	Parameter	Value	Limit (mg/L)
Total Solids		\	Arsenic (As)		0.15
Volatile Solids			Cadmium (Cd)		0.19
Total Suspended Solids		400	Chromium Total (Cr)		Suspended
Volatile Suspended Solids			Copper (Cu)		3.02
Petroleum Hydrocarbons		100	Lead (Pb)		0.54
Biochemical Oxygen Demand (BOD)		and the second	Molybdenum (Mo)		Suspended
Chemical Oxygen Demand (COD)			Mercury (Report to 0.XXX)		0.080
Total Organic Carbon (TOC)			Selenium (Se)		
Ortho Phosphates as P			Nickel (Ni)		5.9
Ammonia as NH <sub>3</sub>		14.1	Zinc (Zn)		1.67
Kjeldahl N as N					1
			OTHER: (2)		
					100
					1
CITALLES POR TRACT					1 1 2 2
					11125
TTO (Report to 0.XXX) (1)					
TTVO (Report to 0.XXX) (1)					in or

<sup>(1)</sup> If required by Categorical Pretreatment Standards.



<sup>(2)</sup> List results for major components listed in question 36 and any additional parameters required by Categorical Pretreatment Standards.

For a SLUDGE (typically greater than 2% Total Solids) analyze for the parameters listed in Table 1B. Analysis for any metals listed in Table 1B should be for <u>Total Metals</u> (NOT TCLP METALS, WHICH ARE REQUIRED IN TABLE 3). Attach a complete laboratory analysis for all results listed in Table 1B including the Chain-of-Custody and signed Lab Certification.

Table 1B - SLUDGE

Value	Parameter	Value (mg/kg)	Limit (mg/kg)
	Arsenic (As)		41
	Cadmium (Cd)		39
	Chromium Total (Cr)		1,200
	Copper (Cu)		1,500
	Lead (Pb)		300
	Mercury (Hg)		17
	Molybdenum (Mo)		Suspended
	Nickel (Ni)		420
	Selenium (Se)		100
	Zinc (Zn)		2,800
	OTHER: (2)		
			Total Constitution of the
	Value	Arsenic (As)  Cadmium (Cd)  Chromium Total (Cr)  Copper (Cu)  Lead (Pb)  Mercury (Hg)  Molybdenum (Mo)  Nickel (Ni)  Selenium (Se)  Zinc (Zn)	Arsenic (As)  Cadmium (Cd)  Chromium Total (Cr)  Copper (Cu)  Lead (Pb)  Mercury (Hg)  Molybdenum (Mo)  Nickel (Ni)  Selenium (Se)  Zinc (Zn)

<sup>(1)</sup> If required by Categorical Pretreatment Standards.



<sup>(2)</sup> List results for major components listed in question 36 and any additional parameters required by Categorical Pretreatment Standards.

46. List RCRA hazardous waste characterization analytical laboratory results and indicate which contaminants exceed regulatory levels. Attach RCRA hazardous waste characterization analytical laboratory results listed below. Analyses must be performed on a representative sample collected for the Liquid Waste that is the subject of this application.

IF ANY OF THE RCRA HAZARDOUS WASTE CHARACTERIZATION ANALYTICAL DATA VALUES EXCEED REGULATORY LEVELS, THE LIQUID WASTE CANNOT BE ACCEPTED FOR TREATMENT AT THE PASSAIC VALLEY SEWERAGE COMMISSIONERS (PVSC) WWTP. ANY PERSON DISCHARGING SUCH LIQUID WASTE VIA TRUCK TO PVSC'S WWTP FOR TREATMENT WILL BE SUBJECT TO PUNISHMENT INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT.

Table 2 – RCRA TOXICITY CHARACTERISITICS

Waste Characteristic	Regulatory Level	Value	Exc Regul Lev	atory
			Yes	No
D001: Ignitability	liquids with a flash point below 140° F or 60° C			X
D002: Corrosivity	liquids with a pH below 2 and above 12.5			X
D003: Reactivity	liquids that are chemically unstable and readily undergo violent change, are susceptible to detonation, react violently with water, or emit toxic fumes. Reactive sulfide above 500 ppm; reactive cyanide above 250 ppm.			X



Toxicity Characteristic Leachate Procedure or TCLP:

TABLE 3

Maximum Concentration of Contaminants for the Toxicity Characteristic

EPA HW No. {1}	Contaminant	CAS No.{2}	Regulatory Level (mg/L)	Value (mg/L)	Exceeds Regulatory Level?		
		jag Hali			Yes	No	
D004	Arsenic	7440-38-2	5.0			A	
D005	Barium	7440-39-3	100.0			X	
D006	Cadmium	7440-43-9	1.0			X	
D007	Chromium	7440-47-3	5.0			V	
D008	Lead	7439-92-1	5.0			X	
D009	Mercury	7439-97-6	0.2			X	
D010	Selenium	7782-49-2	1.0			X	
D011	Silver	7440-22-4	5.0			X	
D012	Endrin	72-20-8	0.02			X	
D013	Lindane	58-89-9	0.4			X	
D014	Methoxychlor	72-43-5	10.0			X	
D015	Toxaphene	8001-35-2	0.5			X	
D016	2,4-D	94-75-7	10.0			X	
D017	2,4,5-TP (Silvex)	93-72-1	1.0			X	
D018	Benzene	71-43-2	0.5			X	
D019	Carbon tetrachloride	56-23-5	0.5			X	
D020	Chlordane	57-74-9	0.03			X	
D021	Chlorobenzene	108-90-7	100.0			X	
D022	Chloroform	67-66-3	6.0			X	
D023	o-Cresol	95-48-7	{4} 200.0			X	
D024	m-Cresol	108-39-4	{4} 200.0			X	
D025	p-Cresol	106-44-5	{4} 200.0			X	
D026	Cresol		{4} 200.0			×	
D027	1,4 - Dichlorobenzene	106-46-7	7.5			Ŷ.	
D028	1,2 - Dichloroethane	107-06-2	0.5			Х	
D029	1,1 - Dichloroethylene	75-35-4	0.7			×	
D030	2,4 - Dinitrotoluene	121-14-2	{3} 0.13			X	
D031	Heptachlor (and its epoxide)	76-44-8	0.008			X	



# TABLE 3 (cont.)

# Maximum Concentration of Contaminants for the Toxicity Characteristic (cont.)

EPA HW No. {1}	Contaminant	CAS No.{2}	Regulatory Level (mg/L)	Value (mg/L)	Exceeds Regulatory Level?	
Farmer (1) Farmer (1)					Yes	No
D032	Hexachlorobenzene	118-74-1	{3} 0.13			X
D033	Hexachlorobutadiene	87-68-3	0.5			X
D034	Hexachloroethane	67-72-1	3.0			X
D035	Methyl ethyl ketone	78-93-3	200.0			X
D036	Nitrobenzene	98-95-3	2.0			X
D037	Pentachlorophenol	87-86-5	100.0			X
D038	Pyridine	110-86-1	{3} 5.0			X
D039	Tetrachloroethylene	127-18-4	0.7			X
D040	Trichloroethylene	79-01-6	0.5			X
D041	2,4,5-Trichlorophenol	95-95-4	400.0			X
D042	2,4,6-Trichlorophenol	88-06-2	2.0			X
D043	Vinyl chloride	75-01-4	0.2			χ_

<sup>{1}</sup> Hazardous waste number.



<sup>{2}</sup> Chemical abstracts service number.

<sup>{3}</sup> Quantitation limit is greater than the calculated regulatory level. The quantitation limit therefore becomes the regulatory level.

<sup>(44)</sup> If o-, m-, and p-Cresol concentrations cannot be differentiated, the total cresol (D026) concentration is used. The regulatory level of total cresol is 200 mg/l.

<sup>[55</sup> FR 11862, Mar. 29, 1990, as amended at 55 FR 22684, June 1, 1990; 55 FR 26987, June 29, 1990; 58 FR 46049, Aug. 31,1993]

### NOTE: VERBAL COMMUNICATION

Verbal communication by the applicant shall not be accepted and no representative, agent or employee of PVSC is authorized to accept any verbal communication from the applicant to vary, alter or modify the terms of this application. Similarly, no representative, agent, or employee of PVSC has been authorized to make any representations or to vary, alter or modify the terms hereof. No additions, changes or modifications, renewals or extensions hereof, shall be binding unless reduced to writing and signed by the applicant and PVSC.

#### **CERTIFICATION:**

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false, information, including the possibility of fine and imprisonment.

### I further certify that:

The analytical data presented herein or attached hereto were derived from testing a representative sample of the Liquid Waste collected in accordance with 40 CFR 261.20 (c) or equivalent rules.

The Liquid Waste is not a "hazardous waste" as defined by Federal regulation and/or State regulation.

The Liquid Waste meets all applicable Federal categorical pretreatment standards.

The Liquid Waste does not contain regulated radioactive materials or regulated concentrations of PCBs.

All relevant information about the Liquid Waste regarding known or suspected hazards in the possession of the Generator has been disclosed.

If any changes occur in the character of the Liquid Waste, the Generator shall notify PVSC in writing prior to providing the material for disposal.

If the applicant is a corporation, a corporate resolution is attached granting me the authority to sign the application on behalf of the corporation.

Name of signing official:

PRINT

TITTE

DATE

070706

SIGNATURE

\* APPLICATION MUST BE SIGNED BY ONE OF THE FOLLOWING:

- a. Principal Officer of Corporation
- b. President or Owner of Company
- c. General Partner if a Partnership
- d. Plant Manager or Authorized Representative

Rev. 11/25/03







**WASTE MANAGEMENT** 

1000 New Ford Mill Road Morrisville, PA 19067 (215) 428-4340 (215) 428-4345 Fax

August 10, 2006

Passaic Valley Sewer Commissioners 600 Wilson Avenue Newark, New Jersey 07105 Re: Liquid Waste Acceptance Att: Mr. Marc Picinich

Dear Mr. Picinich:

Enclosed is a completed Application for Industrial Liquid Waste as requested. Please contact me if you have any questions.

Sincerely,

Don Demkovitz

Environmental Manager

From everyday collection to environmental protection, Think Green. Think Waste Management.